# CRUTT Approved For Release 2001/04/1951018-R0282-00457R00470001-

**OUNTRY** 

Germany (Russian Zone)

17 Javgust 1948 DATE DISTR

:UBJECT

Two Year Plan of the Chemical IndextITIAL CONFIDERITIAL

NO. OF PAGES

25X1A

\*LACE .CQUIRED

DATE CF (IMFO NO. OF ENCLS.

25X1X

SUPPLEMENT TO REPORT NO.

FLU 115

3

	100			
			3	CA
	1	,	λo	A) () (

The present maximum output of soda in the Soviet zone amounts to 94,000 tons a year. Since this figure is far below the actual zonal needs, it was proposed to build a new plant, able to produce 500 tons of soda a day, or 180,000 tons a year. For this program, the following raw materials will be required:

E E	e e	<u>g</u>			
with	EO	2			
ance	78 fi	gence	tates.		1
cord	er 16	Intelli	ted S	2008	
CONFIDENTIAL in accordance with the	letter of 16 October 1978 from the	Director of Central Intelligence to the	Archivist of the United States.	Next Review Date: 2008	
TIAL	92	Š	of the	O Me	
FDE	ō	tor	vist	Revi	
S	letter	Direc	Archi	Next	

Item	Present Outout (in tons)	New Productio (in tons)		nţ
Na Cl	197,000	360,000	557,000	
Limestone	197,000	360,000	557,000	
NH <sub>3</sub> (N)	940	1,800	2,740	
Rough lignite	200,000	380,000	580,000	
Underground co (Zechenkohle	al ) 16,000	31,000	47,000	

## 2. Caustic Soda

The estimated present capacity is 87,000 tons of caustic sods a year. By repairing existing facilities in the Buna-Werke, the yearly production could be increased to 99,000 tons. At the present time, the Buna plant accounts for about one-third of the entire production of caustic scda; another third comes from the Electro-Chemical Combine in Bitterfeld and the rest from various factories. No accurate figures are available yet as to the quantity of caustic soda needed; however, estimates of requirements on the basis of the distribution plans worked out by the SMA, Department of Planning, show that at least 120,000 tons a year will be needed.

CONFIDENTIAL CLASSIFICATION ARMWARNING HENOTICE THIS DISTRIBUTION LISTING MUST EXCISED DEFORE PUBLIC RELEASE OF THIS DOCUMENT. Document

Approved For Release 2001/04/19

NO CHAN X DEC P82-0045/R001

### Approved For Release 2001/04/19:0014-RDP82-00457R001700790004-5

CENTRAL INTELLIGINES



### 3. Sulphuric acid

MEDERAL - 180,000 tons a year Present output approx. 160 300,000 tons a year Planned expansion of production to

The increase in the production of sulphuric acid is dependent uson the realization of the planned corper production program in the Mansfeld plant for which 300,000 tons of pyrites a year are needed. Of these, approximately 50,000 tons could be produced in the Soviet zone; the remaining 250,000 tons could have to be imported. Since this would entail difficulties, it was proposed to use part of the dismantled Wolfen plant for the production of sulphuric acid from gypsite, thereby making it possible to increase the solrouric acid output in the Soviet zone to 370,000 tons a year.

### 4. Calcium carbide

Present output Planned increase in production through a. repair of existing facilities

40.400 tons a year 19,200 tons a year 20,400 tons a year

building of new plants Total planned production

80,000 tons a year,

for which the following will be required:

280 million kw-hr Electric rower ; icklime 64,000 tons a year 56,000 Čoke tt 1,500 11 23 3.9 Carbon electrodes Anthracite 51 11 Tar 250 Pitch

### 5. Oxygen

present output approx. Il million cu. m. a year Requirement for combustion of the above mentioned quantities of calcium carbide approx. 25 million cu. m. a year

Of the finished machines needed for the increase in production, at least half would have to be imported from the western zones.

### 6. Heavy metallic salts

It is planned to set up, perhaps in Stassfurt, a "Betriebskombinat" for the production of heavy metallic salts such as aluminum sulphate, sodium sulphide, and sodium hyrosulphite. Nost of the output of heavy metallic salts comes from the Staatliche Saechsische Huetten- & Blaufarbenwerke; the concern is located near the bismuth mining district and has recently been experiencing difficulties. Sodium sulphide and sodium hyrosulphite are at present produced in the Zschimmer & Schwarz pant in Henrichshall. Aluminum sulphate is also produced by several small flants, which, however, are obliged to use commercial acids in their manufacturing process.

SECRET



CENTRAL INSECRETCE AGENCY

## 7. Hardening salts.

# CONFIDENTIAL

The production of hardening selts for steel hardening requires barium alloys and sodium cyanide, which means that 5,000 tons of barium carbonate a year must be imported from Kali-Chemie, Hoenningen, in the French zone. It will be practically impossible to produce barium carbonate in the Soviet zone, since not enough heavy spar is available. There actually exists a sodium cyanide plant in the Dessau sugar refineries, but lacking approval by the SMA, the plant is unable to operate.

# 8. Borax, i.e., oracic minerals

Fresent requirements are
It would be possible to replace
by 700 of the boracic mineral

2,000 tons of borax a year 900 tons of borax a year

Rasorit, leaving 1,100 tons of borax a year either to be imported or to be gained from boracic minerals which could be processed in the zone.

### 9. Zine powder

Zinc powder is needed mainly in the manufacture of maints. Since the dismantling of the plant Glesche's Erben, Magdeburg, leaves the Soviet zone without a factory making zinc powder, it has been proposed to set up a new plant, preferably in the Farbencabrik Wolfen.

## 10. Personnel

The administration is aware that the carrying out of the Two Year Plan might be hampered by a shortage of experienced and well-trained specialists. It was therefore proposed that appropriate young people go through an apprenticeship in efficient plants, run by men who are well trained and experienced in technical as well as chemical matters.

CONFIDENTIAL

SECRET